


ELECTRIC FENCING

talk to someone who knows



McVeigh Parker

www.first4fencing.co.uk

Contents

Installation guide	1
Battery/Mains energisers	2
230 volt mains energisers	3
Premium energisers	4
Insulators	5
Gates & breaks	7
Connectors	8
Fence control	9
Cable, Wire, Rope and Tape	10
Posts	11
Solar	13
Hand reel systems	17
Electric Fencing kits	18

Area guides

160 acres: 64.75 hectares
800m (1/2 mile) x 800m (1/2 mile)

Requires 3.2km (2 miles)
of fence to enclose

80 acres: 32.37 hectares
800m (1/2 mile) x 400m (1/4 mile)

Requires 2.4km (1.5 miles)
of fence to enclose

40 acres: 16.187 hectares
400m (1/4 mile) x 400m (1/4 mile)

Requires 1.6km (1.0 miles)
of fence to enclose

**20 acres:
8.94 hectares**
400m (1/4 mile) x
200m (220 yds)

Requires 1.2km
(0.75 miles)
of fence to enclose


10 acres: 4.047 hectares
200m (220 yds)
x 200m (220 yds)

Requires 800m (0.5 miles)
of fence to enclose

**5 acres:
2.023 hectares**
200m (220 yds)
x 100m (109 yds)

**2.5 acres:
1.012
hectares**
100m (109 yds)
x 100m (109 yds)

Areas not to scale



Battery/Mains energisers

Duo 500

**Two power input options available:
230V mains supply or 12V battery**

- DUO unit for short to medium fences
- function control
- low battery indicator with 12V deep discharge protection
- 0.9 stored joules
- max. output joules 0.5 J
- peak output 8,300V
- output/500 ohms 3,700V
- up to 4km single strand wire
- up to 1km with medium growth
- up to 250m electric sheep netting
- up to 100m poultry netting
- up to 8 wks on a 12V L/battery 80Ah

Warranty 3 years

pc **1** ▶ EF5480



Duo 1400

**Two power input options available:
230V mains supply or 12V battery**

- DUO unit for general farm use
- fence control indicator
- low battery indicator with 12V deep discharge protection
- 1.7 stored joules
- max. output 1.4 joules
- peak output 10,000V
- output/500 ohms 4,100V
- up to 10km single strand wire
- up to 2km with medium growth
- up to 800m with heavy growth
- up to 750m electric sheep netting
- up to 250m poultry netting
- up to 5 wks on a 12V L/battery 80Ah

Warranty 3 years pc **1** ▶ EF5485



Duo 2300

**Two power input options available:
230V mains supply or 12V battery**

- Powerful DUO unit for general farm use
- fence control display
- separate battery control display with 12V deep discharge protection
- 3.0 stored joules
- max. output 2.3 joules
- peak output 10,000V
- output/500 ohms 4,200V
- up to 15km single strand wire
- up to 2.5km with medium growth
- up to 1km with heavy growth
- up to 1km electric sheep netting
- up to 350m poultry netting
- up to 5 wks on a 12V L/battery 80Ah

Warranty 3 years

pc **1** ▶ EF5490



230 volt mains energiser

Mains 3500

- very powerful mains unit
- all purpose for standard fences
- visual fence condition control
- microprocessor controlled
- 5.0 stored joules
- max. output joules 3.5 J
- peak output 11,000V
- output/500 ohms 5,400V
- up to 20km single strand wire
- up to 3.5km with medium growth
- up to 1.5km with heavy growth
- up to 1.5km electric sheep netting
- up to 500m poultry netting

Warranty 3 years

pc **1** ▶ EF5495



Earth stake


- Galvanised angle c/w nut and bolt for underground cable to energiser

pc **1** ▶ EF5005

Energiser stand that assists earthing

- could be used as earth stake in damp conditions, advisable to use separate earth stake.

pc **1** ▶ EF5492



Rechargeable battery 85AH

- ideal for 12v battery units or solar panel
- a minimum of a 12amp charger is recommended

pc **1** ▶ EF6055



9v dry battery 55AH

- ideal for 12v battery units or solar panel

pc **1** ▶ EF6015



Electrified box



- The galvanised steel LIVE Box is the ultimate in Energiser security.
- The box houses both the energiser and battery it also comes with a screw in anchor and insulated lock.

pc **1** ▶ EF5100



Grippe

Medium grippe Quick and easy way to join and strain 2-3mm wire
pc **1** ▶ A1520

T Clip Ideal for quick and easy insulated termination when used in conjunction with a strain insulator

pc **1** ▶ A1525

Grippe tensioning tool
The perfect tool for tensioning and re-tensioning wire

pc **1** ▶ A1510

Now available with steel handles



Premium energisers

The Phoenix Range of premium energisers

Ideal for large fence lines, remote areas, securing premises or simply for those that want to monitor their fences more closely.



Unprecedented fence control.

Fence monitoring, alarms, battery back-up and remote communication. The Phoenix mains energisers blend traditional Hotline reliability with modern technology.

Standard features

- Terminal cover
- LCD display
- Quick glance efficiency bar
- Battery back-up facility (12v)
- Earth voltage alarm
- Low voltage alarm
- Fence short alarm
- Fence break alarm

Models

- 47HLM 350 - 3.9 stored joules
- 47HLM 700 - 7.9 stored joules
- 47HLM 1200 - 12 stored joules
- 47HLM 1500 - 12 stored joules with 18j boost

Optional Command & Communicate model

The unique Hotline Command & Communicate control system relays critical fence information direct to your mobile phone. With the addition of a standard SIM card Phoenix SMS module will send text messages if conditions are detected on your fence line, allowing you to respond instantly to potential breaches. The system is also invaluable for on the spot maintenance as the fence can be switched off from any location to allow work to proceed in safety. The system will also relay up to date status reports, to your mobile when requested.



Command & Communications module can be installed on request in all mains Phoenix models

Model	3.9j	3.3j	8.2kv	5.8kv	6w	30km	25	15
HLM350	3.9j	3.3j	8.2kv	5.8kv	6w	30km	25	15
HLM700	7.9j	6.2j	8.5kv	6.1kv	10w	50km	30	20
HMX1500	12-21j	10j	9.2kv	6.5kv	16-20w	60km	N/A	N/A

Stored/Output Joule
 Max output Joules
 Max volts
 Volts under 500ohm load
 Approx max distance
 Consumption (220v)
 Battery life
 No close pitch nets (e.g. poultry)
 No wide pitch nets (e.g. sheep)

Electrified Security Fencing - protect your premises

Ever escalating crime figures have generated a requirement for new and innovative ways to enhance security measures. Expensive manned security patrols are often the only effective deterrent as traditional intruder fencing solutions offer little deterrent to an opportunist criminal let alone one of more determined nature.

The installation of an electric fence may seem dramatic; in fact it is rarely considered by all but the larger of commercial ventures or not even considered as a legal option. In reality, it is cost effective, legal, and offers an excellent deterrent, especially as it is so rarely encountered. Where electrified fence systems have been used intrusions or attempted intrusions have dropped to zero. Would-be intruders simply move on to easier targets.

The system works by sending an intermittent, high voltage pulse around the fence system which gives a painful but safe electric shock. Modern Hotline systems offer built in alarm modes which sound if the wire integrity is breached, the alarms can sound audibly or silently where the alarm is sent direct to the operators' mobile phone. A mobile phone can also be used to monitor fence conditions as well as doubling as a remote control.

Application

Factories • Isolated livery yards • Car yards • Commercial premises

Benefits

Peace of mind • Continuous deterrent value • Easy to install and operate • Continuous monitoring of fence condition

For more details

Please contact us with your requirements for a no obligation quotation. A site survey may be required.

Insulators

Screw-in ring insulator

- screw in type
- with continuous support
- galvanised 6 mm support
- perfect insulation by 3 distance rings
- impact-resistant plastic

pcs **25** ▶ EF2025



Screw-in aid

- for drills and battery screwdrivers
- easily screwed due to round shape
- suitable for all ring insulators and Screw-in tape insulator

pc **1** ▶ EF4100



Bolt-on ring insulator

- with metric thread
- black
- galvanised 6 mm support
- sturdy plastic body
- 3 distance rings


pcs **25** ▶ EF2095



Nail-on W insulator

- heavy-duty insulator made of break-proof plastic
- screw in or nail on
- 10 years warranty for UV resistance
- black
- ideal for Premium Horse Wire


pcs **10** ▶ EF2040



Offset ring insulator

- keeps live wires away from posts
- with support of 22 cm length

pcs **10** ▶ EF2035



Strain insulator

- for Ropes
- with fibreglass reinforcement
- suitable as corner and strain insulator
- important aid in fence construction

pcs **25** ▶ EF2010



Heavy duty strain insulator

- Polyamide for Steel Wire
- fibreglass reinforcement
- suitable as corner and strain insulator in permanent fencing
- extremely strong

pcs **10** ▶ EF2020



Bobbin insulator

- used for polywire and steel wire
- delivered without nail

pcs **100** ▶ EF2050



Insulators



Staple insulator

- for use with polywire and steel wire
 - includes staple
- pcs **100** ▶ EF2090



Nail-on insulator

- suits polywire and wire
 - supplied with steel nail
- pcs **50** ▶ EF2045



Adjustable insulator

- for metal/plastic posts up to 17 mm dia
 - impact resistant plastic - very robust
- pcs **10** ▶ EF2006 (black)
pcs **10** ▶ EF2005 (yellow)



Screw-in tape

- for tape, wire and rope
 - galvanised 6 mm metal support
 - for tapes up to 40 mm and ropes
- pcs **25** ▶ EF2030



Screw-on tape insulator

- for tapes up to max. 40 mm and rope
 - very popular tape insulator
- pcs **25** ▶ EF2060



Premium screw-on insulator

- slip-proof rubber pad holds tapes up to 40 mm eliminating tape wear
 - UV stabilized
 - recommended as line insulator
- pcs **10** ▶ EF2075



Offset screw-in tape insulator

- keeps live wires away from posts
 - with support of 20 cm length
 - for tapes up to 40 mm width
- pcs **10** ▶ EF2037



Corner insulator with buckles

- for 40 mm tape
 - easy to hang in gate handles
 - forks off in different directions
 - screw-in insulator
- pcs **10** ▶ EF2100
pcs **25** ▶ EF2060



Gates & breaks



Gate handle

- black
 - with hook
 - with simple tension spring
- pcs **5** ▶ EF4005



Gate handle

- black
 - with hook and tape connector 40 mm
 - with tension limiter
- pcs **5** ▶ EF4008



Double loop insulator

- hooks in gate handles from both sides
 - practical and safe
 - 360° swivel loops
- pcs **10** ▶ EF2115




Spring gate kit

- stretches up to approx 5 m.
 - Kit consists of:
 - 1 gate handle with hook
 - 1 special spring
 - 2 gate handle insulators (not suitable for horse containment)
- pc **1** ▶ EF4010



Bungee gate kit

- up to 6 m
 - convenient and handy gate for fence openings
 - no mane or tail hair gets stuck
 - stainless steel hook
 - Set includes:
 - 1 x 7mm elastic fencing rope
- pc **1** ▶ EF4020



Cut-out switch

- practical on/off and changeover switch for your fence system
 - ideal also for mains operated fence lines
 - switches two separate fence systems
- pc **1** ▶ EF4060



Lightning arrester

- for assembly onto fence post
 - protect your electric energiser from overvoltage, caused by lightning contact with the fence system
 - via a fixed discharger, the 'lightning protection' channels the overvoltage directly into the ground
- pc **1** ▶ EF4085



Connectors

Tape buckle

- stainless steel
- up to 20 mm tapes
pcs **10** ▶ EF4030
- up to 40 mm tapes
pcs **10** ▶ EF4035



Rope joiner

- rope connector galvanised
- pcs **10** ▶ EF4050



Tape connection cable

- ideal mechanical and electrical connection between two fencing tapes up to a width of 40 mm

pc **1** ▶ EF4040



Joint clamp

- galvanised ● for the safe connection of wires on permanent fences or of the underground cable to the fence wire

pcs **10** ▶ EF4055



pc **1** ▶ EF4090 pc **1** ▶ EF4094

in-line wire tensioner & tightener handle



Permanent wire strainer

- one piece ratchet strainer with built in insulator, rapidly tightens or loosens wire, ropes or tape quickly. Cliplock mechanism

pc **1** ▶ EF4020



Geared reel 3:1

- Speed up the job of reel in your tape, rope or wire. This reel will wind up 3x faster than a compact ● Special eye for directed wire routing

pc **1** ▶ EF7004



Compact reel

- Portable Reels ● impact-proof plastic guarantees durable life ● heavy-duty steel crank arm ● galvanised carry handle for manual use or for clipping into the multi-hand reel post ● locking ratchet retains the fence tension
- takes up to 600m wire or 200m tape or rope ● 5 years UV warranty!

pc **1** ▶ EF7002



Multi-hand reel & anchor post

Galvanised multi post acts as hand reel, anchor or corner post.

- Hand reel post c/w 3 hand reel brackets

pc **1** ▶ KEFH1



- End/termination post c/w bolt on insulators

pc **1** ▶ KEFH2



Smart fence

- The simple 4 line hand reel system 3 x 100m of poly wire, stakes and one simple wind up handle operation. Light and easy to carry and operate.

See it working on www.mcveighparker.co.uk

pc **1** ▶ EF9009

Fence control

Fence tester

- shows the voltage in six levels
- no batteries required

pc **1** ▶ EF4075



Digital voltmeter


- precise measurement of fence voltage from 0 to 9900 Volt
- incl. 9V block battery
- additional display of pulse distance

pc **1** ▶ EF4070

Fence beeper

- indicates fence voltage
- battery included

pc **1** ▶ EF4073



Signal light

- flashes with every fence pulse
- under 3000 V light stops flashing and thereby shows that the fence is no longer safe
- mount signal lights at several points on your fence for quick optical control of the condition of your fence – also visible in daylight
- the signal light does not require batteries

pc **1** ▶ EF4083

Warning sign electric fence

- attach at places open to the public
- made of stable grade plastic
- dimensions: 200 x 100 mm

pc **1** ▶ EF4065





Underground cable

- double-insulated with galvanised steel conductor
- connects fence line and grounding ideal for permanent fence systems
- 0.035 Ohm/meter at 2.5mm and 0.09 Ohm/meter at 1.6mm core diameter



- double insulated lead out cable
- single 1.6mm galv core, 5.8mm o/a

25m pc **1** ▶ EF3099 50m pc **1** ▶ EF3100 100m pc **1** ▶ EF 3105



Cable

- with M8 eyes
- connect energiser & ground rod
- excellent connection between energiser to ground rod
- suitable for connecting several ground rods



8m pc **1** ▶ EF3095



Stranded wire

200m pc **1** ▶ EF3011
400m pc **1** ▶ EF3010
600m pc **1** ▶ EF3009



Premium horse wire

- 8 mm diameter
- great conductivity 0.035 Ω/m
- high mechanical barrier due to steel wire (breaking strength 800 kg)
- electrifiable and very safe

250m pc **1** ▶ EF3030



Single line hot dip galvanised wire

This single high tensile wire provides excellent conductivity and longevity for use in permanent fence systems. The zinc coating gives a higher performance than many other forms of fence material. The tensile strength offers a great degree of security which are able to take loads in excess of 500kg without distortion. The single line has less resistance therefore offers better conductivity, simply, your power goes further with minimal loss.

2.5mm HT 25kg (650m) pc **1** ▶ F2140 2.0mm HT 25kg (1017m) pc **1** ▶ F2104



Super polywire

Diamond Line


- 9 x 0.15mm stainless conductive strands
- High strength polyethylene twine
- U.V. Protected
- 200m white EF3015
- 400m white EF3020



6mm electric rope

UV protected Monofilament

- 6 x 0.2 mm stainless conductive strands
- polyethylene
- longer life
- 200m green & white EF3034
- 200m white EF3035




12.5mm

Diamond Line

- 5x 0.15 mm stainless conductive strands
- high strength monofilament polyethylene

200m white EF3045




20mm

Diamond Line

- 2 x 0.3 mm stainless +
- 8 x 0.2 mm stainless conductive strands

200m white EF3050
200m green EF3055




40mm

Diamond Line

- 4x 0.3 mm stainless +
- 11x 0.2 mm stainless conductive strands

200m white EF3060
200m green EF3065
200m brown EF3070



40mm ULTRA

Diamond Line

- 12 x 0.4 mm stainless conductive strands
- high strength monofilament polyethylene

200m white EF3078
Ultra rope also available

1. Stirrup

- with Stirrup step
- the post is very easily driven into the ground because the stirrup is positioned directly above the spike
- for all common tapes, ropes and polywires
- white or green
- with galvanised spike
- Total height: 163 cm
- Earth spike: 17 cm
- No. of insulators: 4x Rope + 8x Tape
- pcs **5** ▶ EF1015

2. Stirrup

- with Stirrup step
- the post is very easily driven into the ground because the stirrup is positioned directly above the spike
- for all common tapes, ropes and polywires white or green with galvanised spike
- Total height: 114 cm
- Earth spike: 15 cm
- No. of insulators: 3x Rope + 7x Tape
- pcs **5** ▶ EF1005

3. Plastic post

- with tread in step
- the post is very easily driven into the ground because the stirrup is positioned directly above the spike
- for all common tapes, ropes and polywires
- with galvanised spike
- white or green
- Total height: 105 cm
- Earth spike: 15 cm
- No. of insulators: 5x Rope + 3x Tape
- pcs **5** ▶ EF1000

4. Pig tail post

- traditional pigtail style for single-line dairy fencing
- for extra strength and durability.
- Total height: 100 cm
- pcs **10** ▶ EF1020

5. Steel post

- Fence height. Total length.
- 95cm pc **10** ▶ 1.05m EF1025
 - 120cm pc **10** ▶ 1.40m EF1035



Simply solar

Night eyes



pc **1** ▶ EF5220

Keep an eye out for your livestock & poultry with the unique Solar Predator Protection System.

When used properly, the Solar Predator Protection System will last for many years and is truly maintenance free.

The concept is simple but it really works for little cost!


Predators believe the flash to be the eye of another creature and feel threatened, so they stay away.

- Solar powered, no maintenance, no batteries, no electric required.
- Automatic operation, on at dusk, off at dawn.
- High intensity LED's.
- Weatherproof, works in all conditions* Magnetic and/or screw fixing

12v solar unit

- solar panels suitable for DUO units
- galvanised bracket for metal battery box and connection cable to the unit included
- metal battery box is included with 10watt and 18watt panels
- self-adjusting - when dimensioning is correct
- 5 years warranty on panel
- reduced maintenance for rechargeable battery systems
- longer battery service life due to constant charging (discharge reduction)

- 6 Watt panel c/w crocodile clips only pc **1** ▶ EF5205
- Metal stand for DUO units and 6 Watt solar panel pc **1** ▶ EF5492
- 10 Watt panel c/w crocodile clips and holding brackets pc **1** ▶ EF5210
- 18 Watt panel c/w crocodile clips and holding brackets pc **1** ▶ EF5215
- Metal galvanised battery box pc **1** ▶ EF5493



• Solar panels prolong the operation time of the 12V rechargeable wet battery, regardless of the fence type, the output level of the unit, the battery condition and the weather - ideally solar energy operation is possible during the entire grazing season. approx 1 joule energiser will require 10 watts to operate in an English climate. note during winter periods some charging may be necessary, alternatively why not try placing a mirror twice the size of the panel at the bottom of the panel during winter months this can boost the output by up to 75%.

• note: these panels simply trickle feed the battery, they do not power the fence.

Solar panel kits



6watt solar kit

- Inc: 1x 6 watt panel c/w clips,
- 1x Leisure battery,
- 1 stand,
- 1x earth stake,
- 1x Duo 500 energiser

pc **1** ▶ KEFS 1



10watt solar kit

- Inc: 1x 10 watt panel c/w clips,
- 1x Leisure battery,
- 1 battery box,
- 1x earth stake,
- 1x Duo 1400 energiser

pc **1** ▶ KEFS 2

Solar systems

Lighten up your shed, stables, workshop, summer house, farm buildings etc, completely mains FREE.



No hard wiring or electrician required, very simple installation, FREE ENERGY, tough & long lasting, highly efficient low maintenance solar kits.



Simple solar kits

- Quick & easy to install.
- No special tools required.
- No expensive excavations.
- Can be operational within five minutes!
- No need for a Part P qualified electrician.
- Can be used to power electric fence lines.
- Environmentally friendly & very low maintenance.
- The kit simply plugs together eliminating the need for hard wiring

Solar light kit Stable Kit 1

Designed for use in sheds, stables or outbuildings up to a size of 2.4m (8ft) x 3.0m (10ft). The light can be used for up to 4 hours continuously per day in winter and 8 hours in summer. Code: KEFS4

Solar light kit Double Stable Kit 2

Designed for use in sheds, stables or outbuildings up to a size of 3.0m (10ft) x 4.57m (15ft). The lights can be used for up to 3 hours continuously per day in winter and 6 hours in summer. Code: KEFS5

Solar light kit Outbuilding Kit 3

Designed for use in sheds, stables or outbuildings up to a size of 6.1m (20ft) x 9.15m (30ft). The lights can be used for up to 3 hours continuously per day in winter and 6 hours in summer, longer if not all lights are used at once. Code: KEFS6

code	components	kit 1	kit 2	kit 3
EF5216	20 watt solar panel c/w croc leads & Light fixing brackets	1		
EF5217	30 watt solar panel c/w croc clips & Light fixing brackets		1	
EF5218	60 watt solar panel c/w croc clips & Standard fixing brackets			1
A7320	7ah Sealed lead acid battery	1		
A7330	20ah Sealed lead acid battery		1	1
EF5225	7amp Charge regulator	1	1	1
EF5230	5mtr solar extension cable	1	1	1
EF5235	72 LED light tube c/w fixing brackets	1	2	4
EF5240	2 way light tube connector (joins two light tubes)		1	
EF5245	4 way light tube connector (joins four light tubes)			1

Solar panels: More details & FAQ & answers - Available by request or on line

Stable lighting and electric fence

(Stable lighting and electric fence kit 'all in one, no need for electric or battery charging')



This all in one kit will not only power your remote shed or stable but also have the capability to power your electric fence. This very low maintenance kit harnesses the sun's rays, making full use of your system, providing you with both light, power and peace of mind. This environmentally friendly kit offers you a very good return on investment.

pcs **1** ▶ KEFS7

- 1 Solar kit- 1x EF5216, 1x EF5225, 1x5230, 1xEF5235, 1 x A7320 ● 1 Warning sign
- 1 Earth stake 1mtr ● 1 Insulated cable, 25m ● 1 Joint clamp ● 1 Diamond Duo 0.5 joule

The included energiser is capable of electrifying up to 5km of single strand wire fence "Just add your choice of fence" - this kit may be subject to variations dependant on light usage, type and distance of fence powering and vegetation growth, please ask for more details.

Helpful tools of the trade



Spinning Jenny

Hot dip galvanised, heavy duty.
pc **1** ▶ A2200



Spinning Jenny

Painted, collapsible.
pc **1** ▶ A2201



Simple fence wire tensioner

pc **1** ▶ A2246



Multi Fence pliers

Cuts, Nails, Staple puller.
pc **1** ▶ A2002



Parrot beak wire cutters

Cuts up to 2.5mm HT wire
pc **1** ▶ A2012



Economy crimp tool

Simply crimps wire joiners
pc **1** ▶ A1310



Ezepull 5 in 1

The professionals choice
Staple pulling, wire cutting,
wire stripping, and crimps
of all fence size

pc **1** ▶ A2247



Electric crimp joiners

1.6-2.5mm pc **100** ▶ A1342



Standard crimp joiners

1.6-2.5mm pc **100** ▶ A1340

Horse birth alarm



The most reliable foal alert system

Now with mobile phone technology

- reliable ● horse friendly ● easy to use ● for indoor and outdoor use
- for all types of horses

For full details - www.birthalarm.com

Electric fencing is a more aesthetic barrier and less intrusive than wire or plastic fencing. Of course you can combine electric with a permanent system to give you more protection and longevity. There are many kinds of electric fence systems available to suit many applications such as Deer control, Fence protection, Livestock containment, Fish stock defence, Predator deterrent, Poultry security, Equine corrals, Crop and Garden protection.

We have listed some of our more popular systems, however all are subject to varying budgets and uses. All kits have been compiled using only the very best product specification, the energisers used are our DUO units which can be powered by either mains or external leisure battery giving you real versatility, all come with a 3 year warranty.

If you can't see what you require or want to cover a larger area, please contact us or look on line for more options

Deer kit (200m 6 line system suitable for Roe & Muntjac)

This freestanding deer deterrent kit should prevent your garden, plantations and vegetables from deer devastation. This kit can be adjusted to suit the type of deer, it can be extended and upgraded for better longevity. The energiser is capable of running off both mains, battery or solar with a range of up to 10km of a single strand fence. This kit is designed for mains application, should battery option be required then all that's needed is one leisure battery, solar can also be added.



pcs **1** ▶ KEF10

- 1 Diamond Duo 1.4 joule - 3 year warranty ● 4 Superior Polywire Red/White, 9 stainless strands 200m ● 2 Diamond tape 12.5mm wide, 5 stainless 0.15mm wires x 200m, white ● 3 Tape to tape connection cable ● 4 Joint clamp ● 20 Stirrup multi fix stake, 12 multi lugs, 1.63m - Green ● 1 Signal light ● 12 Screw in Rope/tape up to 40mm insulator ● 1 Insulated cable, 25m ● 1 Earth stake 1mtr ● 1 Warning sign
- 2 1.8m 50mm dia round stake (if required).

Universal Starter kit (200m single strand or 100m double)

This basic starter kit comes with all you will need to get you going, ideal for temporary paddocks, strip grazing and livestock divisions. Once again this kit comes with our popular duo unit capable of 4km of a single strand fence on either mains or battery, this kit has all you will need for a remote location system running off a leisure battery

pcs **1** ▶ KEF20

- 1 Diamond Duo 0.5 joule ● 10 Multi fix stake, 8 multi lug, 1.08m - White ● 1 12.5mm tape x 200m, white ● 1 12v Rechargeable 85 Ah leisure battery
- 1 Earth stake 1mtr ● 1 Warning sign.



Paddock economy kit (200m single strand or 100m double)

- 1 Diamond Duo 0.5 joule ● 20 Multi fix stake, 8 multi lug, 1.08m - White ● 1 12.5mm tape x 200m, white ● 1 12v Rechargeable 85 Ah leisure battery
- 1 Earth stake 1mtr ● 1 Spring gate kit
- Warning sign

Energiser can also be run off the mains and has the capability to do up to 5km of single strand fence

pcs **1** ▶ KEF60



Hand reel systems

Hand reel kit



(3 Line lightweight system - 400m, just add energiser)

This very versatile and mobile hand reel set enables you to erect up to 400m of a 3 line fence or 600m of a two line fence in no time at all. Unwinding and rewinding are made simple using these heavy duty hand reels. These systems are not ideally suited to sheep but is equally good for all livestock. The heavily galvanised wire will offer great longevity and a maintenance free life. The stranded wire can be changed for tape or rope to give higher visibility. Simply choose your energiser or use an existing one and you will have a very useful system

Why not make the job three times faster, simple upgrade to 3:1 ratio hand reels

pcs **1** ▶ KEFH10

- 1 Multi hand reel post c/w 3 brackets ● 1 Multi hand reel post end c/w 3 bolt on insulators
- 36 Multi fix stake, 8 multi lug, 1.08m - White
- 3 Stranded wire 400m ● 1 Warning sign
- 3 Compact hand reel - standard



Pony premium kit

(Pony paddock hand reel kit 200m)

Comes with the extra heavy duty erected green stirrup stakes. This simple hand reel system makes easy work of dividing paddocks, creating new paddocks, easily erected and dismantled. Just add your choice of energiser and earth stake.

pcs **1** ▶ KEF40

- 1 Multi hand reel post c/w 2 brackets ● 1 Multi hand reel post end c/w 3 bolt on insulators ● 18 Stirrup multi fix stake, 10 multi lugs, 1.14m - Green ● 1 Warning sign ● 2 Compact hand reel - standard ● 2 20mm x 200m, white

Energiser & earth stake required



Horse premium kit

(Horse premium paddock hand reel kit 200m - using taller stakes)

Comes with the extra heavy duty easily erected taller green stirrup stakes. This system should not be compared to cheaper options, the tape used is of a very high standard with good conductivity and longevity. Ideal for dividing and creating paddocks. You can increase your length with the energiser supplied, this can power up to 1km of tape.

Why not make the job three times faster, simple upgrade to 3:1 ratio hand reels

pcs **1** ▶ KEF50

- 1 Multi hand reel post c/w 2 brackets ● 1 Multi hand reel post end c/w 3 bolt on insulators ● 18 Stirrup multi fix stake, 12 multi lugs, 1.63m - Green
- 1 Diamond Duo 0.5 joule ● 1 12v Rechargeable 85 Ah leisure battery ● 1 Earth stake 1mtr ● 1 Warning sign ● 2 Compact hand reel - standard ● 2 20mm x 200m, white



Electric fencing kits

Poultry/Pheasant pen

(Poultry/Game rearing predator protection kit - 200m)

This simple offset system should deter the most determined foxes. Simply screw in to existing fence posts. The stranded wire will not only provide an effective shock but the current loss will be a lot less compared to polywire. The energiser has the capability to power up to 4km of wire.

pcs **1** ▶ KEF90

- 1 Diamond Duo 0.5 joule ● 50 Screw in 200mm offset rope Insulator ● 1 Earth stake 1mtr
- 12v Rechargeable 85 Ah leisure battery
- Stranded wire 200m



Poultry netting

(Poultry netting kit battery operated - 50m)

A quick and easy to erect movable immediate fencing for poultry. This olive green netting is unobtrusive in the garden or field. This netting will enable you to enlarge a safe roaming area of your chickens. This battery kit can also be upgraded to a solar kit for reduced maintenance and battery charging.

pcs **1** ▶ KEF90

- 1 Poultry 1.05m high, 12 line, 50m - olive green ● 1 Warning sign ● 1 Earth stake 1mtr ● 1 12v Rechargeable 85 Ah leisure battery ● 1 Diamond Duo 0.5 joule
- 1 Keyring fence beeper/alert




Rabbit kit

(Rabbit protection netting kit battery operated - 250m)

Protect your crops, vegetables and flowerbeds, this very easy to erect netting is the simplest solution. It can be moved and reused easily. Also available in 75cm high to combat the more adventurous rabbits. A 45 degree outward slant is recommended to enable earlier contact which should prevent rabbits burrowing.

pcs **1** ▶ KEFR1

- 5 Rabbit 0.5m high, 8 line, 50m ● 1 X Warning sign ● 1 Earth stake 1mtr
- 1 12v Rechargeable 85 Ah leisure battery ● 1 Diamond Duo 2.3 joule



Poultry netting

- colour: green ● 12 horizontal lines ● welded knots ● 14 integral posts ● single spike posts
- extra post to create gate ● repair lines and guide ropes

pc **1** ▶ EF9045



Rabbit netting

- colour: orange ● 9 horizontal lines ● welded knots ● 14 integral posts ● single spike posts
- repair lines and guide ropes

pc **1** ▶ EF9002



Sheep netting

- colour: orange ● 9 horizontal lines ● welded knots ● 14 integral posts ● single spike posts
- repair lines and guide ropes

pc **1** ▶ EF9004





McVeigh Parker

Tel: 0845 120 7755
email: sales@mcveighparker.co.uk
or go online now
www.mcveighparker.co.uk

Berkshire Branch

(Head Office)
Southend Bradfield
Reading, Berkshire.
RG7 6HA

Tel: 0118 9744777

Fax: 0118 9744123

Lancashire Branch

Unit 3, Link 25 Business Park,
Wigan Road,
Ashton-in-Makerfield,
Wigan, Lancashire, WN4 0DA

Tel: 01942 725523

Fax: 01942 723702

Hertfordshire Branch

Little Hadham Road,
Much Hadham, Ware,
Hertfordshire. SG10 6HL

Tel: 01279 842842

Fax: 01279 842812

Sussex Branch

Stane Street, Billingshurst,
West Sussex. RH14 9JR

Tel: 01403 784250

Fax: 01403 786394

Kent Branch

Thornden Farm,
Lenham Road, Headcorn,
Ashford, Kent. TN27 9LH

Tel: 01622 891095

Fax: 01622 891175

Worcestershire Branch

Unit 16, Wilden Lane Ind. Est.
Stourport-on-Severn
Worcestershire. DY13 9JY

Tel: 01299 826111

Fax: 01299 829666

The best in our field